

P60 LIGHT PATCH

Dimmers

Dimmers	Fixture	Dimmer CH/ 230V 16A	Multi
1.001	ACL top	1	E6
1.002	ACL back	2	B8
1.003	ACL side	3	O5
1.004	4 Blind top center 1	4	E7
1.005	4 Blind top center 2	5	E8
1.006	4 Blind back left 1	6	C1
1.007	4 Blind back left 2	7	C2
1.008	4 Blind back right 1	8	C3
1.009	4 Blind back right 2	9	C4
1.010	Par 64 1KW top left	10	F1
1.011	Par 64 1KW top center left	11	F2
1.012	Par 64 1KW top center right	12	F3
1.013	Par 64 1KW top right	13	F4
1.014	Par 64 1KW back center left	14	C5
1.015	Par 64 1KW back center right	15	C6
1.016	Front spot	16	H1
1.017	Front spot	17	H2
1.018	Front spot	18	H3
1.019	Front spot	19	H4
1.020	Front spot	20	H5
1.021	Front spot	21	H6
1.022	Front spot	22	H7
1.023	Front spot	23	H8
1.024	Zoom front	24	K3
1.025	Zoom front	25	K4
1.026 - 1.036	Spare/Free dimmers	26 - 36	

CHAUVET MAVERICK FORCE S SPOT

CHAUVET MAVERICK FORCE S SPOT	Fixture ID	Location	Multi	230V 16A CH	Mode
1.037	1	Top truss	E1	1	29CH
1.066	2	Top truss	E1	1	29CH
1.095	3	Top truss	E1	1	29CH
1.124	4	Top truss	E1	1	29CH
2.001	5	Back truss	B1	2	29CH
2.030	6	Back truss	B1	2	29CH
2.059	7	Back truss	B1	2	29CH
2.088	8	Back truss	B1	2	29CH
3.001	9	Layher	O1	3	29CH
3.030	10	Layher	O1	3	29CH
3.059	11	Layher	O1	3	29CH
3.088	12	Layher	O1	3	29CH
4.001	13	Floor/Hall	P1/N3	4	29CH
4.030	14	Floor/Hall	P1/N3	4	29CH
4.059	15	Floor/Hall	P1/N3	4	29CH
4.088	16	Floor/Hall	P1/N3	4	29CH
4.117	17	Floor/Hall	P2/N4	5	29CH
4.146	18	Floor/Hall	P2/N4	5	29CH

Chauvet Rogue R1 BeamWash

Chauvet Rogue R1 BeamWash	Fixture ID	Location	Multi	230V 16A CH	Mode
1.153	19	Top truss	E2	6	21CH
1.174	20	Top truss	E2	6	21CH
1.195	21	Top truss	E2	6	21CH
1.216	22	Top truss	E2	6	21CH
2.117	23	Back truss	B2	7	21CH
2.138	24	Back truss	B2	7	21CH
2.159	25	Back truss	B2	7	21CH
2.180	26	Back truss	B2	7	21CH
3.117	27	Layher	O2	8	21CH
3.138	28	Layher	O2	8	21CH
3.159	29	Layher	O2	8	21CH
3.180	30	Layher	O2	8	21CH
4.175	31	Front	I1	9	21CH
4.196	32	Front	I1	9	21CH
4.217	33	Front	I1	9	21CH
4.238	34	Front	I1	9	21CH

Chauvet Colorado 2 Solo

Chauvet Colorado 2 Solo	Fixture ID	Location	Multi	230V 16A CH	Mode
1.237	35	Top truss	E3	10	17CH STD.Y
1.254	36	Top truss	E3	10	17CH STD.Y
1.271	37	Top truss	E3	10	17CH STD.Y
1.288	38	Top truss	E3	10	17CH STD.Y
1.305	39	Top truss	E3	10	17CH STD.Y
1.322	40	Top truss	E3	10	17CH STD.Y
2.201	41	Back truss	B3	11	17CH STD.Y
2.218	42	Back truss	B3	11	17CH STD.Y
2.235	43	Back truss	B3	11	17CH STD.Y
2.252	44	Back truss	B3	11	17CH STD.Y
2.269	45	Back truss	B3	11	17CH STD.Y
2.286	46	Back truss	B3	11	17CH STD.Y
3.201	47	Side left	O3	12	17CH STD.Y
3.218	48	Side left	O3	12	17CH STD.Y
3.235	49	Side left	O3	12	17CH STD.Y
3.252	50	Side right	O3	12	17CH STD.Y
3.269	51	Side right	O3	12	17CH STD.Y
3.286	52	Side right	O3	12	17CH STD.Y

OXO Funstrip

OXO Funstrip	Fixture ID	Location	Multi	230V 16A CH	Mode
3.303	53	Layher	O4	13	10CH
3.313	54	Layher	O4	13	10CH
3.323	55	Layher	O4	13	10CH
3.333	56	Layher	O4	13	10CH
3.343	57	Layher	O5	14	10CH
3.353	58	Layher	O5	14	10CH
3.363	59	Layher	O5	14	10CH
3.373	60	Layher	O5	14	10CH

Martin Atomic 3000

Martin Atomic 3000	Fixture ID	Location	Multi	230V 16A CH	Mode
1.339	61	Top truss C	E4	15	4CH
2.303	62	Back truss L	B4	16	4CH
2.307	63	Back truss R	B5	17	4CH

Chauvet Strike Array 4

Chauvet Strike Array 4	Fixture ID	Location	Multi	230V 16A CH	Mode
1.343	64	Top truss L	E5	18	10CH
1.353	65	Top truss R	E5	18	10CH
2.311	66	Back truss C	B6	19	10CH

Ovation E-260WW (zoom profile spot)

Ovation E-260WW	Fixture ID	Location	Multi	230V 16A CH	Mode
3.383	67	Carre truss	K2	20	6CH
3.389	68	Carre truss	K2	20	6CH

Brick Dimmer Carre truss

Brick Dimmer 2x	Fixture	Location	Multi	230V 16A CH	Mode
3.395	Par 56	Carre truss	N1	21	1CH
3.396	Par 56	Carre truss	N1	21	1CH
3.397	Par 56	Carre truss	N1	21	1CH
3.398	Par 56	Carre truss	N1	21	1CH
3.399	Par 56	Carre truss	N2	22	1CH
3.400	Par 56	Carre truss	N2	22	1CH
3.401	Par 56	Carre truss	N2	22	1CH
3.402	Balcony ring	Carre truss	N2	22	1CH

HALL RGBW LED

HALL RGBW LED	Fixture ID	Location	Mode
4.479	69	Hall Left	RGBW (4ch)
4.483	70	Hall Bar	RGBW (4ch)
4.487	71	Hall Back	RGBW (4ch)
4.491	72	Hall Right	RGBW (4ch)
4.495	73	Hall Balcony Left	RGBW (4ch)
4.499	74	Hall Balcony Back	RGBW (4ch)
4.503	75	Hall Balcony Right	RGBW (4ch)

Haze & Smoke Machines

Haze & Smoke Machines	Fixture	Mode
4.507	Small smoke machine 1	1CH
4.508	Small smoke machine 2	1CH
4.509	Big smoke machine	1CH
3.510	Hazer stage	2CH (1-Haze, 2-Fan)
4.510	Hazer hall	2CH (1-Haze, 2-Fan)

MISC.

MISC.	Location	Multi	230V 16A CH	
Panasonic 4800 Ansi Lumen Projector	Carre truss	K1	23	HDMI

Free DMX Channels

sACN NODE OUTPUT	FREE CHANNELS	
Line 1	1.363 - 1.512	149 channels
Line 2	2.321 - 2.512	191 channels
Line 3	3.402 - 3.512	110 channels
Line 4	4.259 - 4.478	219 channels
Line 5	Free	512 channels
Line 6	Free	512 channels
Line 7	Free	512 channels
Line 8	Free	512 channels

NETWORK

Device	IP	SUBNET MASK
HOUSE LIGHT DESK	2.0.0.1	255.0.0.0
sACN NODE (8CH)	2.0.0.2	255.0.0.0
GUEST LIGHT DESK	2.0.0.3	255.0.0.0